

金 银 丝 绣 花 线

METALLIC EMBROIDERY THREAD

142
COLORS



METALLIC EMBROIDERY THREAD

金 属 刺 绣 线

C O L O R S A M P L E



3# TYPE

108D(TKT250 TEX12)
24g/2000m ON CONE



5# TYPE

135D(TKT200 TEX15)
50g/3300m ON CONE



8# TYPE

189D(TKT143 TEX21)
112g/5000m ON CONE



BRIGHT TYPE 富贵炫亮系列

230D(TKT117 TEX25)
120g/4700m ON CONE



PEARL TYPE 珍珠幻彩系列



MULTI TYPE 渐变多彩系列

230D(TKT117 TEX25)
120g/4700m ON CONE



▲ 白色涤纶内芯并使用白银镀层、色彩鲜艳，可用于面料织造后染。
The white inner core can be used for post dyeing of woven fabrics.

■ 超高耐磨擦、耐日晒、耐洗涤、耐漂洗色牢度
(适合领章、肩章及徽章，3#TYPE可用来织标织唛。)
Ultra high wear resistance, sun resistance, washing resistance, and color fastness to bleaching

★ 由于薄膜的特殊加工工艺，不同批次会有轻微色差。
Due to the special processing technology of thin films, there may be slight color differences in different batches.

○ 可以用于牛仔服装及制品
Can be used for denim clothing and products.



ドラゴン サクラ

金銀刺繍糸

STANDARD TYPE 龙樱标准系列

252D(TKT107 TEX28)
80g/3000m ON CONE



◎ 可以用于牛仔服装及制品。
Can be used for denim clothing and products.



龍櫻

金属刺绣线

STRENGTH TYPE 超强柔韧系列

252D(TKT107 TEX28)
80g/3000m ON CONE



金银线是用纯银或纯铝制作而成的，因此在使用或保管时，为了不褪色，请将其存放在干燥通风处，并远离：

- 1、高温、高湿、二氧化硫和一氧化氮
- 2、含有硫化物的产品（树胶和皮革）
- 3、出汗或潮湿的双手
- 4、阳光直射、荧光灯照射

Gold and silver thread are manufactured with pure silver or aluminum, therefore in order to prevent from fading when in using or keeping in stock, please keep them in dry and ventilating places and keep them away from:

- 1、High Temperature, High humidity, Sulfur dioxide and Nitrogen monoxide.
- 2、Products contained sulfide (a kind of gum and leather)
- 3、Your sweaty hands
- 4、Direct sunlight and Fluorescent light



可以用于牛仔服装及制品
Can be used for denim clothing and products.

品番 TYPE	色号 COL	FINENESS			克重 G	线长 M	成分 CONTENT
		DEN	TKT	TEX			
3#	STA-S、ST-S、ST-1、ST-2 、SUT-3、ST-5、STAD-13	108	250	12	24	2000	Metallic 54% & 50D Nylon 46%
3#	SM-UT3、SM-T5、SM-5	108	250	12	24	2000	Metallic 54% & 50D Nylon 46%
5#	STA-S、ST-S	135	200	15	50	3000	Metallic 48% & 75D Polyester 52%
8#	STA-S、ST-S、SM-1、SM-5	189	143	21	112	5000	Metallic 43% & 120D Rayon 57%
STRENGTH	8916、8912、017、9682、 019、8913、018、8911、016 、9683、9684、9680、020、 014、007、005、008、010、 004、021、011、001、002、 013、012、9679、003、006 、015、9681、8926	252	107	28	80	3000	Metallic 42% & 100D Nylon 58%
STANDARD	STA-SJ、STA-S、STA-1、 STA-2、STA-4、STA-6~ STA-8、STA-11~STA-14、 STA-20~STA-29、STAD-1、 STAD-4、STAD-11、STAD- 13~STAD-18、STAD-20~ STAD-23、STAD-25~STAD- 51、STAD-53~STAD-61	230	117	25	120	4700	Metallic 35% & 150D Polyester 65%
STANDARD	STA-3、STA-5、STA-9、 STAD-3、STAD-5、STAD-6 、STAD-7、STAD-8	230	117	25	120	4700	Metallic 35% & 150D Rayon 65%
BRIGHT	ST-S、ST-22、ST-1、ST-2、 ST-4、ST-5	230	117	25	120	4700	Metallic 35% & 150D Nylon 65%
BRIGHT	ST-7	230	117	25	120	4700	Metallic 35% & 150D Rayon 65%
BRIGHT	SM-T5	230	117	25	120	4700	Metallic 35% & 150D Rayon 65%
MULTI	STA-A2、STA-A3	230	117	25	120	4700	Metallic 35% & 150D Rayon 65%
MULTI	STA-33、STA-37、STA-38	230	117	25	120	4700	Metallic 35% & 150D Polyester 65%
PEARL	AURORA201	270	100	30	120	3600	Metallic 45% & 150D Polyester 55%
PEARL	AURORA202	270	100	30	120	3600	Metallic 45% & 150D Rayon 55%
PEARL	AJ-1	243	111	27	120	4000	Metallic 43% & 150D Polyester 57%

SM	本产品使用12微米涤纶薄膜镀纯银、并加涂内层，用特殊方法加工，耐酸、耐硫，并能耐高温，适用于精炼
	12 micron polyester film metalized with pure silver covering on rayon or nylon yarn,Proof against acid,sulfide and high temperature,applied to refining.
SN	本产品使用9微米涤纶薄膜镀纯银、并加涂表层，另在底层加垫特殊日本的和纸、进一步增加柔软度。
	9 micron polyester film metalized with pure silver and softened by the addition of traditional Japanese paper inside,covering on nylon yarn with higher softness.
ST	本产品使用12微米涤纶薄膜镀纯银、并加涂表层，色彩鲜艳度优于镀铝薄膜。
	12 micron polyester film metalized with pure silver covering on rayon or nylon yarn, Look more colorful than the one with aluminum-coated film.
STA	本产品使用12微米涤纶薄膜镀铝，用人造丝或涤纶丝加工而成，金色另加涂表层。
	12 micron polyester film metalized with aluminum covering on rayon or polyester yarn. Gold color is coated over the film.
STAD	本产品使用12微米涤纶薄膜镀铝，用人造丝或涤纶丝加工而成，彩色另加涂彩色表层。
	12 micron polyester film metalized with aluminum covering on rayon or polyester yarn. Colors are coated over the film.